

Veterans Holdings

111 Bellen Rd, Ste2, Broadalbin, NY, 12025
 sonja@veteranshempmarket.com
 518-246-0755
 License #: OCM-AUCP-22-000012

Certificate of Analysis

Final



Date Released: 11/7/2023 2:49:45AM

Report #: 4282

Blue Dream Minis

Sample #: 2752, Weight: 45.50g, Unit Count:

Order #: X231019-0004

Category/Type: Plant, Preroll

Date Collected: 10/19/2023 6:39:19PM


Date Received: 10/19/2023 6:49:26PM

Regulator Sample ID: VH-039

Regulator Source Package ID: VH-039

Regulator Batch ID: VH-039

Size: 32128Units, Unit Count:



Potency Analysis by HPLC

Total Cannabinoids: **28.07 % - 280.7 mg/g**
 Total THC: **24.17 % - 241.7 mg/g**
 Total CBD: **0.1394 % - 1.394 mg/g**

Date Completed: 10/23/2023 9:55AM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|----------|---------|--------|------------------------|
| THCa | 23978-85-0 | 0.001000 | 25.49 | 254.9 | [Bar] |
| d9-THC | 1972-08-3 | 0.001000 | 1.733 | 17.33 | [Bar] |
| CBGa | 25555-57-1 | 0.001000 | 0.5144 | 5.144 | [Bar] |
| CBDa | 1244-58-2 | 0.001000 | 0.1590 | 1.590 | [Bar] |
| d8-THC | 5957-75-5 | 0.001000 | 0.08139 | 0.8139 | [Bar] |
| CBG | 25654-31-3 | 0.001000 | 0.07929 | 0.7929 | [Bar] |
| THCV | 31262-37-0 | 0.001000 | 0.01510 | 0.1510 | [Bar] |
| d10-THC | 95543-62-7 | 0.001000 | ND | ND | [Bar] |
| CBD | 13956-29-1 | 0.001000 | ND | ND | [Bar] |
| CBDV | 24274-48-4 | 0.001000 | ND | ND | [Bar] |
| CBC | 20675-51-8 | 0.001000 | ND | ND | [Bar] |
| CBN | 521-35-7 | 0.001000 | ND | ND | [Bar] |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Veterans Holdings

111 Bellen Rd, Ste2, Broadalbin, NY, 12025
sonja@veteranshempmarket.com
518-246-0755
License #: OCM-AUCP-22-000012

Certificate of Analysis

Final



Sample #: 2752

Blue Dream Minis

Terpenes by HS-GC-MS

Date Completed: 10/23/2023 11:01AM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|-------------------------|------------|---------|--------|------------------------------------|
| trans-Caryophyllene | 87-44-5 | 0.1000 | 0.2061 | <div style="width: 20.61%;"></div> |
| alpha-Farnesene | 502-61-4 | 0.1000 | 0.1250 | <div style="width: 12.5%;"></div> |
| (-)-Borneol | 464-45-9 | 0.1000 | ND | |
| (-)-Caryophyllene Oxide | 1139-30-6 | 0.1000 | ND | |
| (-)-Isopulegol | 89-79-2 | 0.1000 | ND | |
| (+)-Borneol | 464-43-7 | 0.1000 | ND | |
| (+)-Cedrol | 77-53-2 | 0.1000 | ND | |
| (1R)-(+)-Camphor | 464-49-3 | 0.1000 | ND | |
| 3-Carene | 13466-78-9 | 0.1000 | ND | |
| alpha-Bisabolol | 515-69-5 | 0.1000 | ND | |
| alpha-Cedrene | 469-61-4 | 0.1000 | ND | |
| alpha-Humulene | 6753-98-6 | 0.1000 | ND | |
| alpha-Pinene | 80-56-8 | 0.1000 | ND | |
| alpha-Terpinene | 99-86-5 | 0.1000 | ND | |
| alpha-Terpineol | 98-55-5 | 0.1000 | ND | |
| beta-Farnesene | 18794-84-8 | 0.1000 | ND | |
| beta-Myrcene | 123-35-3 | 0.1000 | ND | |
| beta-Pinene | 127-91-3 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| cis-Nerolidol | 142-50-7 | 0.1000 | ND | |
| cis-Ocimene | 3338-55-4 | 0.1000 | ND | |
| Endo-Fenchyl Alcohol | 14575-74-7 | 0.1000 | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



Veterans Holdings

111 Bellen Rd, Ste2, Broadalbin, NY, 12025
sonja@veteranshempmarket.com
518-246-0755
License #: OCM-AUCP-22-000012

Certificate of Analysis

Final



Sample #: 2752

Blue Dream Minis

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|--------------------|------------|---------|----|------------------------|
| Eucalyptol | 470-82-6 | 0.1000 | ND | |
| Fenchone | 1195-79-5 | 0.1000 | ND | |
| gamma-Terpinene | 99-85-4 | 0.1000 | ND | |
| gamma-Terpineol | 586-81-2 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Hexahydro Thymol | 15356-70-4 | 0.1000 | ND | |
| Linalool | 78-70-6 | 0.1000 | ND | |
| Nerol | 106-25-2 | 0.1000 | ND | |
| p-Mentha-1,5-diene | 99-83-2 | 0.1000 | ND | |
| Pulegone | 89-82-7 | 0.1000 | ND | |
| R(+)-Limonene | 5989-27-5 | 0.1000 | ND | |
| Sabinene | 3387-41-5 | 0.1000 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1000 | ND | |
| Terpinolene | 586-62-9 | 0.1000 | ND | |
| trans-Nerolidol | 40716-66-3 | 0.1000 | ND | |
| trans-Ocimene | 3779-61-1 | 0.1000 | ND | |
| Valencene | 4630-07-3 | 0.1000 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 10/23/2023 12:05 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|-------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.00100 | 2.0 | ND | Pass |
| Mammalian Excreta | 0.00100 | 0.03 | ND | Pass |
| Stems | 0.00100 | 5.0 | ND | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2752

Blue Dream Minis

Moisture by Analyzer

Pass

Analysis Date: 10/23/2023 12:05 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2 | 5 - 15 | 8.0 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity by Meter

Pass

Analysis Date: 10/23/2023 12:05 pm

| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05 | 0.65 | 0.46 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 10/23/2023 10:23 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|---------------------|------------|---------------|---------------|--------|
| Abamectin | 0.0100 | 0.5 | ND | Pass |
| Acephate | 0.0100 | 0.4 | ND | Pass |
| Acequinocyl | 0.0100 | 2 | ND | Pass |
| Acetamiprid | 0.0100 | 0.2 | ND | Pass |
| Aldicarb | 0.0100 | 0.4 | ND | Pass |
| Azadirachtin | 0.0100 | 1 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.2 | ND | Pass |
| Bifenazate | 0.0100 | 0.2 | ND | Pass |
| Bifenthrin | 0.0100 | 0.2 | ND | Pass |
| Boscalid | 0.0100 | 0.4 | ND | Pass |
| Captan | 0.0100 | 1 | ND | Pass |
| Carbaryl | 0.0100 | 0.2 | ND | Pass |
| Carbofuran | 0.0100 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.2 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director



Veterans Holdings

111 Bellen Rd, Ste2, Broadalbin, NY, 12025

sonja@veteranshempmarket.com

518-246-0755

License #: OCM-AUCP-22-000012

Certificate of Analysis

Final

**Sample #: 2752****Blue Dream Minis****Pesticides by LCMSMS****Pass**

Analysis Date: 10/23/2023 10:23 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------------------|------------|---------------|---------------|--------|
| Chlormequat Chloride | 0.0100 | 1 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.2 | ND | Pass |
| Clofentezine | 0.0100 | 0.2 | ND | Pass |
| Coumaphos | 0.0100 | 1 | ND | Pass |
| Cyfluthrin | 0.0100 | 1 | ND | Pass |
| Cypermethrin | 0.0100 | 1 | ND | Pass |
| Daminozide | 0.0100 | 1 | ND | Pass |
| Diazinon | 0.0100 | 0.2 | ND | Pass |
| Dichlorvos | 0.0100 | 1 | ND | Pass |
| Dimethoate | 0.0100 | 0.2 | ND | Pass |
| Dimethomorph | 0.0100 | 1 | ND | Pass |
| Ethoprophos | 0.0100 | 0.2 | ND | Pass |
| Etofenprox | 0.0100 | 0.4 | ND | Pass |
| Etoxazole | 0.0100 | 0.2 | ND | Pass |
| Fenhexamid | 0.0100 | 1 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.2 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.4 | ND | Pass |
| Fipronil | 0.0100 | 0.4 | ND | Pass |
| Fonicamid | 0.0100 | 1 | ND | Pass |
| Fludioxonil | 0.0100 | 0.4 | ND | Pass |
| Hexythiazox | 0.0100 | 1 | ND | Pass |
| Imazalil | 0.0100 | 0.2 | ND | Pass |
| Imidacloprid | 0.0100 | 0.4 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.4 | ND | Pass |
| Malathion | 0.0100 | 0.2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director





Sample #: 2752

Blue Dream Minis

Pesticides by LCMSMS

Pass

Analysis Date: 10/23/2023 10:23 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| Metalaxyl | 0.0100 | 0.2 | ND | Pass |
| Methiocarb | 0.0100 | 0.2 | ND | Pass |
| Methomyl | 0.0100 | 0.4 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.2 | ND | Pass |
| Mevinphos | 0.0100 | 1 | ND | Pass |
| MGK-264 | 0.0100 | 0.2 | ND | Pass |
| Myclobutanil | 0.0100 | 0.2 | ND | Pass |
| Naled | 0.0100 | 0.5 | ND | Pass |
| Oxamyl | 0.0100 | 1 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.4 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1 | ND | Pass |
| Permethrins, Total | 0.0100 | 0.2 | ND | Pass |
| Phosmet | 0.0100 | 0.2 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2 | ND | Pass |
| Prallethrin | 0.0100 | 0.2 | ND | Pass |
| Propiconazole | 0.0100 | 0.4 | ND | Pass |
| Propoxur | 0.0100 | 0.2 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1 | ND | Pass |
| Pyridaben | 0.0100 | 0.2 | ND | Pass |
| Spinetoram Total | 0.0100 | 1 | ND | Pass |
| Spinosad Total | 0.0100 | 0.2 | ND | Pass |
| Spiromesifen | 0.0100 | 0.2 | ND | Pass |
| Spirotetramat | 0.0100 | 0.2 | ND | Pass |
| Spiroxamine | 0.0100 | 0.2 | ND | Pass |
| Tebuconazole | 0.0100 | 0.4 | ND | Pass |
| Thiacloprid | 0.0100 | 0.2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2752

Blue Dream Minis

Pesticides by LCMSMS

Pass

Analysis Date: 10/23/2023 10:23 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Thiamethoxam | 0.0100 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.2 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Analysis Date: 10/23/2023 10:23 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 10/23/2023 11:59 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100 | 2 | ND | Pass |
| Arsenic | 0.00100 | 0.2 | ND | Pass |
| Cadmium | 0.00150 | 0.3 | 0.0326 | Pass |
| Chromium | 0.280 | 110 | 1.71 | Pass |
| Copper | 0.0750 | 30 | 11.3 | Pass |
| Lead | 0.00250 | 0.5 | 0.0942 | Pass |
| Mercury | 0.000500 | 0.1 | ND | Pass |
| Nickel | 0.0100 | 2 | ND | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2752

Blue Dream Minis

Micro by Petri & qPCR

Pass

Analysis Date: 10/25/2023 9:51 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 0 | 0 | Not Detected | Pass |
| Salmonella Qualitative | 0 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 0 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | 30000 | Pass |
| Total Yeast & Mold | 10 | | ND | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. **Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director

