



Route 27 Hopyard
 27 Veith Ave, Moriches, NY, 11955
 Ryan@route27hempyard.com
 (516)761-2704
 License #: OCM-PROC-24-000066

Certificate of Analysis

Final



Date Released: 10/16/2025 3:23:47PM

Report #: 90996

Wedding Crasher x Gelato Presidente

Sample #: 20879, Weight: 26.00g, Unit Count:
 Order #: X251009-0001

Category/Type: Plant, Preroll

Date Collected: 9/25/2025 7:00:00PM

Date Received: 10/9/2025 11:52:13AM

Date Sampled: 9/25/2025 10:30:00AM

Regulator Sample ID: 1035 0011 1111 2611

Regulator Source Package ID: 1035 0011 1111 2611

Regulator Batch ID: 1035 0011 1111 2611

Size: 3200Units, Unit Count:



Total Cannabinoids
 42.57 %
 425.7 mg/g



Total THC
 37.04 %
 370.4 mg/g



Total CBD
 0.1402 %
 1.402 mg/g



Total Terpenes
 0.232 %



Heavy Metals
 PASS



Pesticides
 PASS



Mycotoxins
 PASS

Cannabinoids Avg

Total Cannabinoids: **42.57 % - 425.7 mg/g**
 Total THC: **37.04 % - 370.4 mg/g**
 Total CBD: **0.1402 % - 1.402 mg/g**

Date Completed: 10/15/2025 6:46PM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|----------|--------|-------|-------------------------------------|
| THCa | 23978-85-0 | 0.001000 | 40.70 | 407.0 | <div style="width: 40.7%;"></div> |
| d9-THC | 1972-08-3 | 0.001000 | 1.348 | 13.48 | <div style="width: 1.348%;"></div> |
| CBGa | 25555-57-1 | 0.001000 | 0.3581 | 3.581 | <div style="width: 0.3581%;"></div> |
| CBDa | 1244-58-2 | 0.001000 | 0.1599 | 1.599 | <div style="width: 0.1599%;"></div> |
| CBDV | 24274-48-4 | 0.001000 | ND | ND | |
| THCV | 31262-37-0 | 0.001000 | ND | ND | |
| CBD | 13956-29-1 | 0.001000 | ND | ND | |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by sub-contracted Laboratory Biotrax. Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Route 27 Hopyard
 27 Veith Ave, Moriches, NY, 11955
 Ryan@route27hempyard.com
 (516)761-2704
 License #: OCM-PROC-24-000066

Certificate of Analysis

Final



Sample #: 20879

Wedding Crasher x Gelato Presidente

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|------------|------------|----------|----|------|------------------------|
| CBG | 25654-31-3 | 0.001000 | ND | ND | |
| CBN | 521-35-7 | 0.001000 | ND | ND | |
| d8-THC | 5957-75-5 | 0.001000 | ND | ND | |
| d10/R9-THC | 95543-62-7 | 0.001000 | ND | ND | |
| d10/S9-THC | 95588-87-7 | 0.001000 | ND | ND | |
| CBC | 20675-51-8 | 0.001000 | ND | ND | |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS

Date Completed: 10/10/2025 5:18PM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|-----------------------------|-----------|---------|--------|------------------------------------|
| Beta-caryophyllene | 87-44-5 | 0.1000 | 0.2317 | <div style="width: 23.17%;"></div> |
| Results based on dry weight | | | | |
| Beta-myrcene | 123-35-3 | 0.1000 | ND | |
| Limonene | 5989-27-5 | 0.1000 | ND | |
| Alpha-pinene | 80-56-8 | 0.1000 | ND | |
| Alpha-humulene | 6753-98-6 | 0.1000 | ND | |
| Linalool | 78-70-6 | 0.1000 | ND | |
| Beta-pinene | 127-91-3 | 0.1000 | ND | |
| Terpinolene | 586-62-9 | 0.1000 | ND | |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by sub-contracted Laboratory Biotrax. Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Route 27 Hopyard
 27 Veith Ave, Moriches, NY, 11955
 Ryan@route27hempyard.com
 (516)761-2704
 License #: OCM-PROC-24-000066

Certificate of Analysis

Final



Sample #: 20879

Wedding Crasher x Gelato Presidente

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|---------|----|------------------------|
| Ocimene | 13877-91-3 | 0.1000 | ND | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Valencene | 4630-07-3 | 0.1000 | ND | |
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | |
| Farnesene | 502-61-4 | 0.1000 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 10/13/2025 2:40 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------|------------|---------------|---------------|--------|
| Abamectin | 0.0100 | 0.500 | ND | Pass |
| Acephate | 0.0100 | 0.400 | ND | Pass |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass |
| Aldicarb | 0.0100 | 0.400 | ND | Pass |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass |
| Bifenazate | 0.0100 | 0.200 | ND | Pass |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass |
| Boscalid | 0.0100 | 0.400 | ND | Pass |
| Captan | 0.0100 | 1.00 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by sub-contracted Laboratory Biotrax. Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Route 27 Hopyard
 27 Veith Ave, Moriches, NY, 11955
 Ryan@route27hempyard.com
 (516)761-2704
 License #: OCM-PROC-24-000066

Certificate of Analysis

Final



Sample #: 20879

Wedding Crasher x Gelato Presidente

Pesticides by LCMSMS

Pass

Analysis Date: 10/13/2025 2:40 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------------------|------------|---------------|---------------|--------|
| Carbaryl | 0.0100 | 0.200 | ND | Pass |
| Carbofuran | 0.0100 | 0.200 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass |
| Chlormequat Chloride | 0.0100 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass |
| Clofentezine | 0.0100 | 0.200 | ND | Pass |
| Coumaphos | 0.0100 | 1.00 | ND | Pass |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass |
| Cypermethrin | 0.0100 | 1.00 | ND | Pass |
| Daminozide | 0.0100 | 1.00 | ND | Pass |
| Diazinon | 0.0100 | 0.200 | ND | Pass |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass |
| Dimethoate | 0.0100 | 0.200 | ND | Pass |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass |
| Etofenprox | 0.0100 | 0.400 | ND | Pass |
| Etoxazole | 0.0100 | 0.200 | ND | Pass |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass |
| Fipronil | 0.0100 | 0.400 | ND | Pass |
| Fonicamid | 0.0100 | 1.00 | ND | Pass |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by sub-contracted Laboratory Biotrax. Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Route 27 Hopyard
 27 Veith Ave, Moriches, NY, 11955
 Ryan@route27hempyard.com
 (516)761-2704
 License #: OCM-PROC-24-000066

Certificate of Analysis

Final



Sample #: 20879

Wedding Crasher x Gelato Presidente

Pesticides by LCMSMS

Pass

Analysis Date: 10/13/2025 2:40 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| Imazalil | 0.0100 | 0.200 | ND | Pass |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass |
| Malathion | 0.0100 | 0.200 | ND | Pass |
| Metalaxyl | 0.0100 | 0.200 | ND | Pass |
| Methiocarb | 0.0100 | 0.200 | ND | Pass |
| Methomyl | 0.0100 | 0.400 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass |
| Mevinphos | 0.0100 | 1.00 | ND | Pass |
| MGK-264 | 0.0100 | 0.200 | ND | Pass |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass |
| Naled | 0.0100 | 0.500 | ND | Pass |
| Oxamyl | 0.0100 | 1.00 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass |
| Phosmet | 0.0100 | 0.200 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass |
| Prallethrin | 0.0100 | 0.200 | ND | Pass |
| Propiconazole | 0.0100 | 0.400 | ND | Pass |
| Propoxur | 0.0100 | 0.200 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass |
| Pyridaben | 0.0100 | 0.200 | ND | Pass |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by sub-contracted Laboratory Biotrax. Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Route 27 Hopyard
 27 Veith Ave, Moriches, NY, 11955
 Ryan@route27hempyard.com
 (516)761-2704
 License #: OCM-PROC-24-000066

Certificate of Analysis

Final



Sample #: 20879

Wedding Crasher x Gelato Presidente

Pesticides by LCMSMS

Pass

Analysis Date: 10/13/2025 2:40 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Spiromesifen | 0.0100 | 0.200 | ND | Pass |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Analysis Date: 10/13/2025 2:39 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 10/15/2025 7:08 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100 | 2.00 | ND | Pass |
| Arsenic | 0.00100 | 0.200 | ND | Pass |
| Cadmium | 0.00150 | 0.200 | 0.0174 | Pass |
| Chromium | 0.280 | 110 | ND | Pass |
| Copper | 0.0750 | 30.0 | 4.55 | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by sub-contracted Laboratory Biotrax. Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Route 27 Hopyard
 27 Veith Ave, Moriches, NY, 11955
 Ryan@route27hempyard.com
 (516)761-2704
 License #: OCM-PROC-24-000066

Certificate of Analysis

Final



Sample #: 20879

Wedding Crasher x Gelato Presidente

Heavy Metals by ICPMS

Pass

Analysis Date: 10/15/2025 7:08 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Lead | 0.00250 | 0.500 | 0.00957 | Pass |
| Mercury | 0.000500 | 0.100 | ND | Pass |
| Nickel | 0.0100 | 5.00 | 0.0457 | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by sub-contracted Laboratory Biotrax. Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Certificate of Analysis

NYS Cannabis Compliance

Biotrax Testing Laboratory Inc. - Cannabis
3580 Harlem Road Suite 2, Cheektowaga, New York
reporting@biotrax.net 7166510146
Lic# OCM-CPL # 00005
PJLA/ISO/IEC 17025 # 73827
DEA #: RB0572671

1 of 3

Keystone State Testing

Order No.: OBTX0929-0003804
1809 Vestal Parkway
Vestal, New York, 13850
alishag.keystone@gmail.com
6073040884
OCM-CPL-00007

Laboratory Sample ID: 250929-CR

Batch Id: **1035 0011 1111 2611**, Batch Size: -, Units Sampled: -, Sample Size: **7.346 grams**
Sample Collection Site: 1809 Vestal Parkway, New York 13850
Date/Time Collected: 09/28/2025 00:00
Date/Time Received: 09/28/2025 11:25
Report Created: 10/04/2025 12:20
Sampling SOP- SOP# 006

Sample Name: Wedding Crashers x Gelato Presidente

Plant, Preroll



Scan QR Code to verify
COA

Tests Summary

| | | |
|-----------------------------------|-------------------------------|---------------------------------|
| Batch Pass | Microbials Tested | Foreign Matter Pass |
| Moisture Pass | Water Activity Pass | Microbials PCR Pass |
| Cannabinoids Not Tested | Terpenes Not Tested | Pesticides Not Tested |



BIOTRAX

Verified By: Steve Heine
Quality Control Officer

This report must not be reproduced, except in full, without the expressed written approval of the Laboratory's Facility Director(s) or Laboratory Manager.

All flower products are corrected to Dry Weight Basis. ND=Not Detected, LOQ=Limit of Quantitation. This product has been tested by Biotrax Testing Laboratory Inc, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. Biotrax Testing Laboratory Inc makes no claims as to the efficacy, safety, or other risks associated with any results reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Biotrax Testing Laboratory Inc.



Certificate of Analysis

NYS Cannabis Compliance

Biotrax Testing Laboratory Inc. - Cannabis
3580 Harlem Road Suite 2, Cheektowaga, New York
reporting@biotrax.net 7166510146
Lic# OCM-CPL # 00005
PJLA/ISO/IEC 17025 # 73827
DEA #: RB0572671

2 of 3

Keystone State Testing

Order No.: OBTX0929-0003804
1809 Vestal Parkway
Vestal, New York, 13850
alishag.keystone@gmail.com
6073040884
OCM-CPL-00007

Laboratory Sample ID: 250929-CR

Batch Id: **1035 0011 1111 2611**, Batch Size: -, Units Sampled: -, Sample Size: **7.346 grams**
Sample Collection Site: 1809 Vestal Parkway, New York 13850
Date/Time Collected: 09/28/2025 00:00
Date/Time Received: 09/28/2025 11:25
Report Created: 10/04/2025 12:20
Sampling SOP- SOP# 006

Sample Name: Wedding Crashers x Gelato Presidente

Plant, Preroll



Scan QR Code to verify
COA

Microbials

SOP-0100-0104
Date/Time Tested: 09/30/25 12:56

Tested

| Analyte | LOQ (CFU/g) | CFU/g |
|------------------|-------------|---------|
| Yeast & Mold | 100 | 210,000 |
| Aerobic Bacteria | 100 | >490000 |

Foreign Matter

SOP-060
Date/Time Tested: 10/01/25 14:50

Pass

| Analyte | Limit (%) | ppm | % | Status |
|------------------|-----------|-------|-------|--------|
| FM Other | 2.000000 | 0.000 | 0.000 | Passed |
| FM Stems | 5.000000 | 0.000 | 0.000 | Passed |
| Mammal Excrement | 0.000221 | 0.000 | 0.000 | Passed |

Moisture

SOP-058
Date/Time Tested: 10/02/25 11:00

Pass

| Analyte | Limit (%) | % | Status |
|----------|-----------|-------|--------|
| Moisture | 15.0 | 10.38 | Passed |

Verified By: **Steve Heine**
Quality Control Officer

This report must not be reproduced, except in full, without the expressed written approval of the Laboratory's Facility Director(s) or Laboratory Manager.

All flower products are corrected to Dry Weight Basis. ND=Not Detected, LOQ=Limit of Quantitation. This product has been tested by Biotrax Testing Laboratory Inc, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. Biotrax Testing Laboratory Inc makes no claims as to the efficacy, safety, or other risks associated with any results reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Biotrax Testing Laboratory Inc.



Certificate of Analysis

NYS Cannabis Compliance

Biotrax Testing Laboratory Inc. - Cannabis
3580 Harlem Road Suite 2, Cheektowaga, New York
reporting@biotrax.net 7166510146
Lic# OCM-CPL # 00005
PJLA/ISO/IEC 17025 # 73827
DEA #: RB0572671

3 of 3

Keystone State Testing

Order No.: OBTX0929-0003804
1809 Vestal Parkway
Vestal, New York, 13850
alishag.keystone@gmail.com
6073040884
OCM-CPL-00007

Laboratory Sample ID: 250929-CR

Batch Id: **1035 0011 1111 2611**, Batch Size: -, Units Sampled: -, Sample Size: **7.346 grams**
Sample Collection Site: 1809 Vestal Parkway, New York 13850
Date/Time Collected: 09/28/2025 00:00
Date/Time Received: 09/28/2025 11:25
Report Created: 10/04/2025 12:20
Sampling SOP- SOP# 006

Sample Name: Wedding Crashers x Gelato Presidente

Plant, Preroll



Scan QR Code to verify COA

Water Activity

SOP-059
Date/Time Tested: 10/02/25 10:03

Pass

| Analyte | Limit (aw) | aw | Status |
|----------------|------------|--------------|--------|
| Water Activity | 0.65 | 0.434 | Passed |

Microbials PCR

SOP-065-066
Date/Time Tested: 10/01/25 12:53

Pass

| Analyte | LOQ | Limit | Result |
|-----------------------|-----|--------|--------|
| Aspergillus terreus | 1 | Absent | Absent |
| Aspergillus niger | 1 | Absent | Absent |
| Aspergillus fumigatus | 1 | Absent | Absent |
| Aspergillus flavus | 1 | Absent | Absent |
| Salmonella | 1 | Absent | Absent |
| Shiga Toxin E. Coli | 1 | Absent | Absent |



Verified By: **Steve Heine**
Quality Control Officer

This report must not be reproduced, except in full, without the expressed written approval of the Laboratory's Facility Director(s) or Laboratory Manager.

All flower products are corrected to Dry Weight Basis. ND=Not Detected, LOQ=Limit of Quantitation. This product has been tested by Biotrax Testing Laboratory Inc, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. Biotrax Testing Laboratory Inc makes no claims as to the efficacy, safety, or other risks associated with any results reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Biotrax Testing Laboratory Inc.